## C. CURRENT PENDING CLAIMS

The current pending claims have been included in their entirety to better assist the Examiner with the prosecution of the case,

1. (Original) A method for managing web content displayed at a client device during one or more browser sessions comprising:

responsive to a request for a first web page, displaying the first web page at the client device through a browser session;

detecting a timeout condition in the browser session; and

displaying a second predetermined web page at the client device.

- 2. (Original) The method of claim 1 wherein the client device includes a local cache memory file, further comprising clearing the cache memory file associated with the browser session detected as having the timeout condition.
  - 3. (Original) The method of claim 1 wherein the first web page and the second web page are different.
  - 4. (Original) The method of claim 1 wherein the first web page and the second web page are the same.
  - 5. (Original) The method of claim 1 wherein multiple browser sessions are concurrently active on the client device, further comprising monitoring the more than one browser sessions and responsive to a timeout condition at any one of the browser sessions, displaying the second web page at each of said browser sessions having a timeout

AUS9-2001-1022USI

condition.

- 6. (Original) The method of claim 1 further comprising monitoring activity in the one or more browser sessions.
- 7. (Original) The method of claim I further comprising:
  receiving user input comprising a period of time used to define the timeout
  condition, and receiving user input to define the predetermined second web page.
- 8. (Original) The method of claim 7 wherein the period of time is measured from a point of inactivity in the browser session.
- 9. (Original) A method for managing web content displayed at a client device during one or more browser sessions comprising:

responsive to a request for a first web page, displaying the first web page at the client device through a browser session;

monitoring activity in the one or more browser sessions. detecting a timeout condition in one or more browser sessions; and

displaying a second predetermined web page at the client device, in response to the timeout condition.

- 10. (Original) A system for managing web content displayed at a client device during at least one browser session comprising:
  - a processor;
  - a memory coupled to the processor;
  - a computer readable medium coupled to the processor containing instructions for:

AUS9-2001-1022USI

5

responsive to a request for a first web page, displaying the first web page at the client device through an active browser session; detecting a timeout condition in the browser session; and displaying a second predetermined web page at the client device.

- 11. (Original) The system of claim 10 wherein the client device includes a local cache memory file, further comprising instructions for clearing the cache memory file associated with the browser session detected as having the timeout condition.
- 12. (Original) The system of claim 10 wherein the first web page and the second web page are different.
- 13. (Original) The system of 10 wherein the first web page and the second web page are the same.
- 14. (Original) The system of claim 10 wherein multiple browser sessions are concurrently active on the client device, further comprising instructions for monitoring the more than one browser sessions and responsive to a timeout condition at any one of the browser sessions, instructions for displaying the second web page at each of said browser sessions having a timeout condition.
- 15. (Original) The system of claim 10 further comprising instructions for monitoring activity in the one or more browser sessions.
- 16. (Original) The system of claim 10 further comprising:
  receiving user input comprising a period of time used to define the timeout
  condition, and receiving user input to define the predetermined second web page.

AUS9-2001-1022US1

- 17. (Original) The system of claim 16 wherein the period of time is measured from a point of inactivity in the browser session.
- 18. (Original) A computer program product for managing web content displayed at a client device during at least one browser session comprising:

  a recording medium;
  - means, recorded on the recording medium, for responsive to a request for a first web page, displaying the first web page at the client device through an active browser session;
  - means, recorded on the recording medium, for detecting a timeout condition in the browser session; and
  - means, recorded on the recording medium, for displaying a second predetermined web page at the client device.
- 19. (Original) The computer program product of claim 18 further comprising means, recorded on the recording medium, for clearing a cache memory file associated with the browser session detected as having the timeout condition.
- 20. (Original) The computer program product of claim 18 further comprising means, recorded on the recording medium, for monitoring more than one browser sessions and responsive to a timeout condition at any one of the browser sessions, means for displaying the second web page at each of said browser sessions having a timeout condition.
- 21. (Original) The computer program product of claim 18 further comprising means, recorded on the recording medium, for monitoring activity in the one or more browser AUS9-2001-1022US1

sessions.

22. (Original) The computer program product of claim 18 further comprising means, recorded on the recording medium, for receiving user input comprising a period of time used to define the timeout condition, and receiving user input to define the predetermined second web page.